	Whitton South CPZ-Preliminary design reps		
Resident		Resident comment	No
1	Bays included in prelim design near the station	Please designate bays outside 2 and 4 Montrose Avenue to allow customers to park.	1
	Advised times agreed after consultation. Noted request for more visitor bays. Staff encouraged to use public transport. Will review.	Not enough visitor bays. Operational times wrong. Hard for staff to park.	2
2	No bay planned. Will consider Double Yellow Lines (DYL) if problems arise.	Request not to install parking bay between 2 drives	3
	Lamp columns	What are the red dots on the drawing?	4
	Yes	Will the yellow line on the junction near my house go up to telegraph pole?	5
3	Advised to wait until the scheme has been implemented	Should I apply for a disabled bay now?	6
4	Prep pre-Xmas. Implentation expected in new year.	When will the schme start?	7
5	Start expected early 2020. Lines added around the whole of the islands at either end of Montrose and Ryecroft. LC=Lamp Column	When will the scheme start? What does LC mean? Mark lines around islands.	8
6	Lines added around islands as above	Need to mark lines around the whole of the islands at either end of Montrose and Ryecroft.	9
	Noted	Happy to be getting Zone R.	10
7	Email acknowledged and comment noted. Will monitor this during initial stages and consider modifications if required.	Need YL in front of Ryecroft Av address which is in constant use	11
8	Explained no bays due to 'Permit parking area'	Please mark parking bay outside address in Ryecroft Av	12
	Agreed. Change made.	Wants DYL on opposite side of road, near junction to avoind congestion/obstruction.	13
9	Lines added to islands.	DYL should be marked around islands	14
	Replied. Because you are benefitting and therefore should pay towards the scheme.	Why do you need a permit to park in front of your own dropped kerb?	15
10	Lines added to islands.	West end of Montrose Avenue and island should be DYL.	16
	Lines extended.	Extend DYL on eastern end further into Montrose Avenue.	17