Stage 4 Review and Assessment for the London Borough of Richmond upon Thames



University of London

April 2002

ERG, King's College, London Block 9, St. Thomas' Medical School, Lambeth Palace Road, London SE1 7EH

Tel: 0207 960 5511

References:

Airborne Particles Expert Group (APEG), 1999. Source apportionment of particulate matter in the United Kingdom. HMSO.

Carslaw D, Beevers S 1999. Estimating the Uncertainty of Model Predictions using a Monte Carlo Simulation, Department of the Environment, Transport and the Regions, April 99

Carslaw, D., C., Beevers, S., D., Fuller, G., 2001. An Empirical Approach for the Prediction of Annual Mean Nitrogen Dioxide Concentrations in London. Atmospheric Environment 35-8, 1505-1515.

Carslaw, D., C., Beevers, S., D., Hedley, S.D., 2000. Air quality assessment in London and the East Thames Corridor – a report for the Environment Agency. Environmental Research Group, King's College, London, November 2000.

Derwent, R.G. and Middleton D.R., 1996. An Empirical Function for the Ratio NO₂:NO_X. Clean Air 26, No. ³/₄, National Society for Clean Air, Brighton.

DEFRA, 2001. Air Quality Strategy for England, Scotland, Wales and Northern Ireland - Consultation document on proposals for air quality objectives for particles, benzene, carbon monoxide and polycyclic aromatic hydrocarbons. DEFRA, London

DETR, 2000. Review and Assessment: pollutant specific Guidance. LAQM.TG4 (00) London: The Stationery Office. ISBN 1 85112 387 3.

DETR, 2000. Air Quality Strategy for England, Scotland, Wales and Northern Ireland. London: The Stationery Office. ISBN 010 145482 1.

EPAQS, 2001. Expert Panel on Air Quality Standards, Airborne Particles. London: The Stationery Office.

ENDS, 2001. The ENDS Report. Environmental Data Services Ltd 313, 34

Fuller, G., Carslaw, D., Lodge H. 2001. An Empirical Approach for the Prediction of Daily Mean PM10 Concentrations. Atmospheric Environment 36-9.

Green, D., C., Fuller, G., Barratt, B., 2001. Evaluation of TEOMTM Correction Factors' for assessing the EU Stage 1 limit values for PM10. Atmospheric Environment 35-14, 2589-2593.

Quality of Urban Air Review Group, 1996. Airborne particulate matter in the United Kingdom. Third Report of the Quality of Urban Air Review Group.

SEIPH, 1997. The AIM Project and Air Quality in London 1996. South East Institute of Public Health, ISBN 1874257426, July 1997.

Stedman, J., R., Vincent, K., J., Campbell, G., W., Goodwin, J., W., L., Downing, C., E., H., 1997. New High Resolution Maps of Estimated Background Ambient NO_X and NO_2 Concentrations in the U.K. Atmospheric Environment 31, 3591-3602.